



No.235DOC-0088

Doc No.	D2B024
	D3B024
	D5B134

EU Declaration of Conformity

Identification of the Product	Safety Switch
Name and address of Manufacturer IDEC CORPORATION 2-6-64 Nishimiyahara, Yodogawa-Ku, Osaka 532-0004 Japan	Name and address of the authorized representative : APEM SAS 55, Avenue Edouard Herriot BP1, 82303 Caussade Cedex, France

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Object of the declaration :

Series Name – HS5B Series
Model No. – Details are as per attached sheet

The object of the declaration described above is in conformity with the relevant EU harmonization legislation :

2014/35/EU	Low Voltage Directive
2006/42/EC	Machinery Directive
2011/65/EU and (EU)2015/863	Restriction of the use of certain hazardous substances (RoHS) Directive

Applied Union harmonized legislation and references to the relevant harmonization standards used or references the other technical specifications in relation to which conformity is declared.

EN 60947-5-1:2017
GS-ET-15:2019
EN IEC 63000:2018

Where applicable, the notified body

Additional Information :

Signed for and on behalf of the above named manufacturer :

Place and date of issue :	Japan, 20 April, 2016 Japan, 24 June, 2024 (Revised)
Name, function :	Masaki Tsuru, Executive Officer Quality Assurance Center
Signature :	

Masaki Tsuru

Doc No.	D2B024
	D3B024
	D5B134

20 April, 2016
1 April, 2018 (Revised)
Page 1 of 1

HS5B Series

HS5B - 11 R Z B P -*****
(1) (2) (3) (4) (5) (6) (7)

(1) Type HS5B Series

(2) Contact configuration

11 ---- 1NO – 1NC contacts
02 ---- 2NC contacts

(3) Operating direction of actuator

Blank ---- Actuator inserted from the top and front
R ---- Actuator inserted from the top and right
L ---- Actuator inserted from the top and left
B ---- Actuator inserted from the top and back

(4) Actuator Cover type (may be followed)

Blank ---- Polymeric cover
Z ---- Zinc die-cast cover

(5) Enclosure color (may be followed)

B ---- Black
N ---- Gray

(6) Conduit screw (may be followed)

Blank ---- Threaded as per G1/2 under JIS B 0202
P ---- Threaded as per PG 13.5 under DIN 40430
M ---- Threaded as per M20 under IEC 60423

(7) Additional letters and/or numbers (may be followed)

***** ---- Manufacturer Control No.