

INSTRUCTION SHEET

Miniature Photoelectric Switches SA2E Series


Confirm that the delivered product is what you have ordered. Read this instruction sheet to make sure of correct operation. Make sure that the instruction sheet is kept by the end user.

SAFETY PRECAUTIONS

∴ CAUTION

Caution notices are used where inattention might cause personal injury or damage to equipment.

1 Type




*1 The following is displayed on the body of the through-beam type product.

Emitter: SA2E-T 3P Receiver: SA2E-T 3R

2 Installation

- To install the SA2E, tighten the mounting screws to a torque of 0.4 to 0.5N·m.
- Do not apply excessive impact on the SA2E during the installation process, so as to prevent damage or deterioration in the SA2E.



3 Specifications

Detection System		Through-beam	Polarized retro-reflective	ve Diffuse-reflective			Small beam-reflective Background suppression	
TYPE NPN Output		SA2E-TN3	SA2E-PN3	SA2E-DN3S SA2E-DN3M SA2E-DN3L		SA2E-NN3	SA2E-BN3	
	PNP Output	SA2E-TP3	SA2E-PP3	SA2E-DP3S	SA2E-DP3M	SA2E-DP3L	SA2E-NP3	SA2E-BP3
Sensing Range		20m	5m	100mm	500mm	1m	50 to 150mm	10 to 350mm
Standard Detector		-	(Reflector: IAC-R5/R8)*2	(White paper: 200×200mm)			(White paper:	(White paper:
						100×100mm)	200×200mm)	
Detection Distance		-	-	-	-	-	-	20 to 350mm
Light Source		Red LED	Red LED	Infrared LED	Red LED	Infrared LED	Red LED	Red LED
Power \	Power Voltage 12 to 24V DC Ripple p-p 10% maximum (Operationg range 10 to 30V DC (including Ripple))							
Current Consumption 20mA maximum								
Control Output		Open collector output (NPN/PNP output selectable)						
		Load voltage: 30V DC maximum, Load current: 100mA maximum						
		Voltage drop: 1.2V maximum (Load current: 10mA maximum)						
		Voltage drop: 2V maximum (Load current: 100mA maximum)						
Protection Circuit		Reverse polarity	Reverse polarity, Reve	rse output pola	rity curcuit, Lo	ad short circui	t, Interference p	revention
		Reverse output polarity curcuit						
		Load short circuit						
Respon	Response Time 0.5ms maxium							
Ambien	umbient Temperature Operating: -30 to +55°C, Storage: -40 to +70°C (no freezing and condensation)							
Ambien	t Humidity	Operating: 35 to 95%RH, Storage: 35 to 95%RH (no condensation)						
Degree	gree of protection IP67 (IEC60529)							
Materia	I	Housing: PBT, Lens: PMMA, Display: PC						
Cable		ø3.5mm, 3-core (2-core for emitter of through-beam type), 0.2mm², 2m cabtyre cable						

*2 Maintain at least the following distance between the SA2E and reflector. IAC-R5/R6/R8: 50mm, IAC-R7: 100mm, IAC-RS1/RS2: 150mm

4 Notes for Operation

- Do not use the SA2E during the transient time of 100ms after turning on the power supply.
- If the SA2E and the load are connected to different power supplies, the SA2E must always be turned on first.
- Do not install the SA2E outdoors, nearby induction device, or heat source. Choose locations free from frequent vibrations, shocks, dust, toxic gases, water, oil, and chemicals, so as to prevent malfunctions and damage.
- Do not expose the receiver axis of SA2E to sunlight or other direct light projections.
- Do not use the product with water drops, dirt etc, remaining on the sensing surface as unintended operation and detection performance may change. To remove dust and moisture build-up, use soft dry cloth.
- PMMA is used for optical elements. Do not use organic solvents such as ammonia, caustic soda, alcohol or thinner for cleaning.

↑ CAUTION


 Do not apply the voltage over the rated range or AC voltage, otherwise the switch may blow out or burn.

5 Wiring


- Turn off the power supply before wiring.
- · Connect correctly to prevent damage.
- The power voltage must not exceed the rated range.
- When using a switching power supply, be sure to ground the FG (frame ground) terminal.
- Do not install the SA2E wiring in the same conduit with high-voltage lines and power lines.
- If the wiring is long, or if there is a risk influence from power source and electromechanical devices etc, use it as an independent wiring.
- Cable extension is allowed up to 100m using a cabtyre cable with core wires of 0.3mm² or more.
- To connect the SA2E with connector cable, tighten connector to a torque of 0.2 to 0.4N·m.

WIRING DIAGRAM

NPN Output Type




PNP Output Type



assignment

Through-beam Type (Emitter)



6 Dimensions


CABLE TYPE

Through beam Polarized retro reflective Diffuse reflective Small beam reflective Small beam reflective

Emitter axis (Emitter)

Receiver axis (Pereiver)

Receiver axis





Through-Beam Emitter

Wire half strip

+V (Brown)

Excluding Through-Beam Emitter

All dimensions in mm

(Amber LED) Stability indicator*4 (Green LED)


Sensitivity control *4*5

Operetion model switch*4

(L: Light ON/D: Dark ON)

Operation indicator*3

CONNECTOR TYPE



- *3 Power LED for the through-beam type emitter.
- *4 Not incorporated on the through-beam type emitter.
- *5 Distance control (approx 7-turn endless) for Background suppression type

7 Precaution for Disposal

Dispose of the SA2E as an industrial waste.

IDEC CORPORATION

http://www.idec.com

Manufacturer: IDEC CORPORATION 2-6-64, Nishimiyahara, Yodogawa-ku, Osaka 532-0004, Japan

EU Authorized Representative: APEM SAS 55, Avenue Edouard Herriot BP1.82303 Caussade Cedex, France

UK Authorized Representative: APEM COMPONENTS LIMITED Drakes Drive, Long Crendon, Buckinghamshire, HP18 9BA, UK