



QVNU8.E68029 - Protectors, Supplementary Certified for Canada - Component

Protectors, Supplementary Certified for Canada - Component

See General Information for Protectors, Supplementary Certified for Canada - Component

IDEC CORP

6-64 NISHIMIYAHARA 2-CHOME
YODOGAWA-KU, OSAKA 532-0004 JAPAN

E68029

Cat. No.	Type	UG	FW	Max V	Max Amps	TC	OL	SC
NRA, f/b K, N, R, or S, f/b 1, 2 or 3, f/b 1 or 5 f/b 00, 11, or 21, may be f/b F or S; Type NRA f/b N or S, f/b Q or S, f/b 1 or 5, f/b 1 or 5, f/b 1 or 5, f/b 02, 03, 12 or 21.	OC	D	0	250 Vac, 30 Vdc	30	1	0	1 kA, C1
NRA, f/b K, N, R, or S, f/b 1, 2 or 3, f/b 1 or 5 f/b 00, 11, or 21, may be f/b F; Type NRA f/b N or S, f/b Q or S, f/b 1 or 5, f/b 1 or 5, f/b 1 or 5, f/b 02, 03, 12 or 21.	OV	D	0	24 Vdc	30	1	0	1 kA, C1
NH1, f/b S, Y, L, V, f/b -1, -2 or -3, f/b 1, 2, 3, 4 or 5, f/b 00, 11, 12 or 21, may be f/b F, may be f/b S; Model NH1S-3100TK1611.	OC	D	0	250 Vac, 65 Vdc	30	1	0	1 kA, C1
NH1S, f/b -1 or -2, f/b 6, may be f/b F, f/b 2, 3, 5, 7.5, 10, or 15, f/b AA, BA, MA, AD, or MD, f/b 24 or 100.	OC	D	0	250 Vac, 65 Vdc	15	0	0	1 kA, U1
NRBM, f/b 1, 2, or 3, f/b 1, f/b 00, 11, or 21, may be f/b F.	OC	D	0	250 Vac, 65 V dc	50	1	0	1 kA, C1
NRL f/b T, R, Y, K, or P f/b 1 or 2, f/b 1, f/b 00 or 11, may be f/b F, f/b -2A, f/b DA, may be f/b -1, -3, -4, -5, -7	OC	D	0	250 Vac	2	1	0	1 kA, C1

Marking: Company name or trademark, , , , , , , type or model designation and the Recognized Component Mark for Canada, .

Last Updated on 2018-01-31

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"